MONTHLY WEATHER MAP

METEOROLOGICAL SERVICE, DOMINION OF CANADA

JUNE 1930

LIBRARY
JUL 19 1930
WASHINGTON

TEMPERATURE

Over the greater part of the Dominion the month was warmer than a normal June. Exceptions were British Columbia, the Yukon, the lower Mackenzie valley, the shores of the Arctic Ocean, the Arctic Archipelago, Baffinland, Hudson strait and adjoining territory. In southern Baffinland there was a deficiency of about four degrees, but elsewhere, in the districts mentioned, the deficiency was generally about one degree.

The month was exceptionally warm in the Atlantic provinces, where some districts were ten or twelve degrees warmer than in a normal June. During the last sixty years we have had no previous instance of a June exceeding the average by eight degrees or more.

In the upper Ottawa and St. Maurice valleys in Quebec the normal mean was exceeded by five or six degrees while generally in Ontario the excess was only two or three degrees with a few localities cooler than normal

In the western grain region the excess was generally about three degrees across the central parts of the wheat zone, while districts on the northern, southern and western margins of the zone were normal or a little cooler than normal.

PRECIPITATION

The remarkable feature of the month was the unprecedented rainfall in northern Ontario and northern Quebec. From ten to fifteen inches were reported from the vicinity of Lake Temiskaming and Lac des Quinze. Several times during the last ten years there have been very wet months in northern Ontario with totals of five to eight inches, but the previous highest total was eight inches and one half, while the average rainfall for June during the last thirty-five years is a little in excess of two inches and three quarters. Very considerable damage was done by floods following a rainfall of four to five inches in twenty-four hours on the 26th. In southern Ontario the rainfall was about twice the normal amount in some localities while there were deficiencies in the region of Lake St. Clair and locally on the shore of Lake Ontario.

Rainfall was deficient in Alberta by ten to forty per cent. except in the Lloydminster-Vegreville area and the Peace river valley where there was an excess. In Saskatchewan considerable areas in the north and south portions of the grain zone had excesses of about thirty-five per cent. while the central part of the zone had deficiencies of ten to fifty per cent. In Manitoba rainfall was well above normal in the central districts and moderately deficient elsewhere. In the Atlantic provinces the month was very dry in Nova Scotia, Prince Edward Island and parts of southern New Brunswick while in northern New Brunswick there was an excess, with exceptionally heavy rain in some districts. In British Columbia the southern interior and Vancouver Island were considerably drier than usual while in the northern interior and on the northern coast the month was moderately wet.

BRITISH COLUMBIA

June was rather cool and rather dry in the southern interior except locally. In the northern interior and on the north coast the month was moderately wet.

On Vancouver Island rainfall was generally about ten per cent. below normal. Cool nights retarded most crops, and small fruits will be a short crop.

On the lower mainland rainfall was ten to fifteen per cent. below normal, but the rains and cool weather came at a time which interfered with the harvesting of a heavy hay crop.

In the Okanagan and Kootenay districts rainfall was generally well below normal with local exceptions. Crops in the Okanagan valley are generally good but in the Kootenays dull, cool weather with local frosts have kept crops backward.

ALBERTA, SASKATCHEWAN and MANITOBA

Part of the first week, the end of the second week, from the nineteenth to the twenty-third, and the last two days, were unseasonably cool. The sixth, seventh, tenth, and twenty-fifth were hot For the month the central part of the wheat zone in Alberta and Saskatchewan, and all of Manitoba were two to four degrees warmer than in a normal June. The upper and lower margins of the wheat zone as well as the extreme west of Alberta were somewhat cooler than normal.

Rainfall in Alberta was well above normal in the Peace river district and normal to thirty-five per cent. below normal in the extreme west. In eastern Alberta, the region from Lloydminster and Vegreville south to Wainwright, had normal rainfall to eighty per cent. excess. In the Red Deer valley, as well as the valleys of the Bow and the Oldman, most districts had scarcely half the normal rainfall. At Medicine Hat and in the Coulée and Milk river districts to the south rainfall was only about ten per cent. in defect.

In Saskatchewan a narrow belt north-west of Moose Jaw through Elbow to Outlook and towards Rosetown had scarcely more than half the normal rainfall. A small district east and south of the Cypress Hills was also dry. From Lloydminster to Battleford and Prince Albert, in parts of the Saskatoon region, parts of the Swift Current region, and generally from Regina and Qu'Appelle to Broadview and Wapella, normal rainfall was exceeded by five to fifty per cent. A considerable portion of the central wheat region had twenty per cent. less than normal rainfall.

In Manitoba the extreme south-west was twenty to fifty per cent. deficient while elsewhere except in the Dauphin district rainfall was generally normal or well above normal.

For the period from April 1st to July 1st rainfall has been five to forty per cent. in defect in western Alberta, normal or slightly higher in the south-east, normal to forty per cent. in excess in the north-east, and fifty to sixty per cent. in excess in the Peace river district. In Saskatchewan, along the North Saskatchewan river, the Forks region and the north-eastern districts generally rainfall has been ten to forty per cent. in excess. Elsewhere in the central and southern portions of the grain zones there has been considerable variation from excess of ten per cent. or more to defect of ten to forty per cent. In Manitoba rainfall generally has been in excess of normal except in the extreme south-west.

ONTARIO

The month was generally warm and in the north very wet, with two to four times the normal amount of rain east of Lake Superior. In the Georgian Bay region about twice the usual amount of rain fell while in the lower Ottawa and upper St. Lawrence valleys there was an excess of about twenty to thirty-five per cent. On the Lake Huron slopes the excess varied from twenty to one hundred per cent., while on the shores of Erie, St. Clair, and Ontario there were slight deficiencies. In interior counties of the south-west there were some local excesses.

QUEBEC

The month was generally two to six degrees warmer than usual and in the northern districts very wet. Six to eleven inches of rain were recorded in the upper St. Maurice and Lake St. John regions where the normal amount is about three inches in June. Along the St. Lawrence where the normal amount is between three and four inches the amount recorded was from three to six inches with one station in the "Eastern Townships" recording more than nine inches. In the Gulf region there was a deficiency.

ATLANTIC PROVINCES

This was the warmest June on record although the warmest day was not quite equal to the record. The month averaged three to twelve degrees higher than the normal June temperature. In northern New Brunswick the rainfall was twenty to seventy per cent. in excess of the normal amount while in southern New Brunswick there were deficiencies of twenty to fifty per cent.

In Nova Scotia and Prince Edward Island deficiencies of twenty-five to seventy per cent. were reported.

Heavy rain, accompanying thunderstorms, in Victoria county of New Brunswick damaged potatoes. Continuous dense fogs prevailed along the seaboard.

HUDSON STRAIT

In the strait the month was about four degrees cooler than usual, while at Churchill across the Bay the month was nine degrees warmer than usual, with some exceptionally warm days.

SPECIAL REPORTS

NOTE—Column H is Highest Temperature; Column L is Lowest Temperature; Column P is Precipitation in inches; Column I denotes total of bright sunshine in hours during the month.

BRITISH COLUMBIA

STATION	H	L	P	I	STATION	H	L	P	I	STATION	H	L	P	I
Victoria	82°	45°	0.7	273	White Rock	80°	42°	2.1		Trail	...	36°	1.7	
Goldstream Lake	...	...	1.8		New Westminster	81°	47°	2.2		Cranbrook	84°	31°	1.4	
Sooke	77°	37°	1.2		Salmon Arm	87°	40°	1.5	207	Golden	82°	35°	0.9	
Duncan	85°	37°	1.0		Penticton	90°	36°	1.3		Revelstoke	89°	40°	1.8	
Nanaimo	80°	43°	1.4	208	Vernon	83°	42°	1.1		Glacier	75°	33°	3.3	
Courtenay	...	...	1.5		Armstrong	84°	39°	0.9		Kamloops	90°	44°	0.7	265
Vancouver	80°	44°	2.2	219	Greenwood	82°	34°	0.6		Prince Rupert	75°	40°	6.0	
Chilliwack	86°	39°	2.9		Grand Forks	87°	37°	1.5		Prince George	78°	34°	2.8	
Agassiz	87°	40°	2.7	131	Kaslo	79°	38°	2.9						

ALBERTA

STATION	H	L	P	I	Date of Heading	Soil Moisture	Growth of Grain	Damage
Grande Prairie	77°	38°	3.2	118	Heading late	Excellent	Crops growing rapidly as result of warmer weather	
Edmonton	90°	30°	2.6	148		Sufficient	Crops in good condition. Wheat averaging 14 inches.	Slight by soil drifting early in June; slight locally by hail on 27th; some by cutworms, especially to oats.
Medicine Hat	96°	36°	2.1	272		Ample	Prospects fair	
Calgary	86°	33°	2.3	238				
Gem	92°	30°	1.8					
Bassano	93°	33°	1.0					
Brooks	90°	33°	2.0					
Patricia	92°	30°	1.0					
Pokappini (Gilbertson)	89°	29°	1.4					

SASKATCHEWAN

Moose Jaw	87°	36°	2.3	283		More needed	Improved by recent rains but prospects still below normal	Considerable from cutworms and high winds
Waseca	90°	32°	6.9			Splendid	Stooling out well	None
Francis	84°	32°	2.9				Fair	Considerable from cutworms
Assiniboia	88°	32°	2.5			Sufficient	Early wheat sown on stubble ground considerably damaged by early drought. Late sown wheat progressing well in shot blade.	Slight from insects
Gravelbourg	89°	32°	2.8		June 28th	Good		50% damaged by drought
Rosetown	96°	38°	2.4		June 30th	Surface wet	Wheat 40% of normal. Oats and flax 60%	
Carlyle	85°	27°	2.2		In shot blade 30th	Very dry	Backward; straw short; late rains came in time to save the crop	
Quill Lake	85°	32°	2.8			Excellent	Splendid	
Cadillac	91°	31°	1.9		Early sown wheat June 30th	Still deficient	Straw short	10% blown out but reseeded and doing quite well.
Dundurn	91°	34°	2.6			Sufficient	Fair to good, recovering well from high winds and early drought	
Dana	89°	36°	4.3		"Reward" wheat June 24th	Good	Conditions generally fair	Some from high winds, cutworms and wire-worms
Muenster	87°	31°	1.8			Sufficient	Good, but warm weather needed	
Chaplin	90°	34°	2.7			Not very good	Not very good	
Aneroid	90°	32°	1.7			More needed	Very backward, prospects poor	
Anglia	92°	35°	1.6		June 30th		Very short straw; late crops will do better	
Island Falls	88°	28°	3.0					
Battleford	93°	36°	4.1		Early sown wheat last week.	Abundant	Outlook very bright for wheat, coarse grains, and roots.	
Qu'Appelle	81°	33°	4.6	283		Good	Generally favorable	Some by hail on the 27th
Swift Current	92°	34°	4.0	283		Plenty	Very good but patchy in some fields owing to high winds. Fall rye poor	
Prince Albert	92°	33°	4.1			Abundant	Crops look fine	Some by soil drifting but these areas resown and doing well. Forest fires bad till the 10th
Rosthern	90°	35°	2.5					
Grenfell	83°	36°	3.4			Fair	Good	Considerable from cutworms

MANITOBA

STATION	H	L	P	I	SPECIAL REPORTS
Winnipeg	87°	37°	2.5	270	
Le Pas	85°	34°	3.3	214	
Minnedosa	85°	34°	2.8		Slight damage from hail and grubs, otherwise crops good.
Graysville	87°	35°	2.2		
Birtle	82°	31°	2.9		A dry month but crops made good growth, wheat shewing numerous heads on the 28th. Wheat even but short from want of rain. All grains will average better than last year. Fall rye is fair.
Brandon	85°	31°	5.4	257	Crops growing rapidly. Wheat in head.
Treesbank	89°	32°	4.2		Month was moderate with only one light frost on 26th. Crops doing well and pasturage is good.
Treherne	89°	30°	4.1		
Morris	87°	47°	3.8		Plenty of moisture. Crops looking fine. Hail on 25th did some damage. Wheat heading out.
Oak Bank	83°	38°	3.1		Crops made very rapid growth in this district. Wheat in shot blade. Hail on 28th did very little damage.
Morden	83°	40°	3.9		Growth good, but subsoil dry. Grain and other crops rather backward. Pastures, fodder crops, and potatoes growing well.
Morden(Exp.Farm)	87°	39°	4.4	280	Abundant rain. Crops all looking fine. Had very little hail and that was confined to a small area.
Ninette	87°	...	3.5		
Moose Horn Bay	80°	32°	2.2		Crops doing well.
Boissevain	81°	36°	3.1		
Hamiota	86°	31°	4.0		
Pinawa	83°	35°	1.5		
Sprague	84°	33°	4.2		
Waskada	83°	34°	2.9		
Cypress River	84°	31°	3.0		
Rapid City	74°	34°	4.4		
Russell	84°	37°	2.6		
Virden	85°	37°	3.6		
Portage La Prairie	86°	39°	5.3		

ONTARIO

Kenora	84°	42°	3.4		
Quorn	88°	28°	3.4		
Port Arthur	86°	40°	3.8		Bountiful rains have brought all vegetation well forward. Rivers and streams somewhat higher.
White River	85°	29°	3.6		
Elsas	94°	30°	8.4		
Franz	81°	33°	6.2		
Peterbell	92°	39°	6.0		
Schreiber	80°	41°	3.7		
Biscotasing	83°	31°	7.7		
Chapleau	86°	35°	6.6		
Kapuskasing	84°	32°	4.6	168	
Cochrane	83°	36°	5.2		Rain fell on 19 days.
Ruel	88°	28°	9.0		June was a cold month. Vegetation slow and backward. Very heavy rains have caused great damage by flood. Washouts have paralyzed transportation in this district.
New Liskeard	87°	42°	9.6	130	
Haileybury	86°	43°	11.5		Vegetation heavy, heavy growth of hay but badly beaten by rain. On account of heavy rain grain is backward and root crops are in danger. Creeks abnormally full, Lake Timiskaming unusually high. Heaviest June precipitation on record at this station.
Parry Sound	85°	43°	4.3		All the crops, especially hay, are very promising. Garden crops well advanced. Early vegetables ready for market. More bright sunshine needed to ripen berries.
Scotia Junction	85°	40°	5.8		Crops are looking very well in this locality. The soil hereabouts being very light crop has not suffered from the heavy rainfall.
Beatrice	85°	38°	4.5		
Walker's Point	84°	39°	5.6	228	
Algonquin Park	86°	40°	3.2		
Washago	...	...	4.8		Hay poor in this locality on account of early frost. Other crops in good condition. Pasturage good.
Barrie	86°	43°	3.8		All crops doing well.
Beeton	90°	...	2.4		Crops improving, root crop good. Fall wheat very good. Cutting hay.
Walkerton	90°	40°	5.7		June was very wet and extreme in temperature. Growth was rapid but there was too much rain for corn. Haying was delayed and some alfalfa that was cut early was badly bleached.
Alton	87°	38°	2.6		Crops looking well.
Mount Forest	85°	40°	1.3		Rained nearly every day in June with a heavy fall on the 30th.
Brucefield	85°	36°	4.8		
Goderich	85°	42°	5.7		
Woodstock	83°	41°	3.2	288	Hay and garden truck very good. Excellent growing weather for strawberries and other small fruits which promise well.
Paris	90°	44°	3.3		
Simcoe	90°	51°	3.9		
Harrow	88°	45°	1.4	270	All crops growing fast and doing well.
London	88°	43°	6.5		Hail in this district damaged the strawberry crop considerably. Early vegetables doing well. Heavy rains have helped the crops.
Toronto	91°	46°	2.4	268	
Bloomfield	85°	40°	2.9		
St. Catharines	93°	44°	3.0	250	
Belleville	89°	45°	3 2	248	
Kingston	80°	48°	2.9	234	All crops in good condition.
Peterboro'	89°	43°	3.2		Practically all crops promise excellent yields.
Queensboro'	88°	42°	2.2		Grain very promising, especially rye and barley. Hay late in growth but looking more promising than last month. Pasture good. Some hay cut during the last week of June. Fall wheat and oats are good.
Brockville	89°	40°	2.2		Crops generally look well. Water supply plentiful.
Morrisburg	87°	33°	3.0		All crops in fine condition.
Ottawa	89°	42°	4.4		
Ottawa(Exp.Farm)	89°	38°	4.2	241	All crops doing well with hay harvest just started.
Renfrew	90°	40°	4.9		An abundance of rain has fallen during June benefitting vegetation and crops. Growth is satisfactory.
Pembroke	92°	43°	4.0		Hay crop is thin. Grain and other crops looking well.
Clontarf	90°	41°	4.4		

Fort Nelson
Great White River
James Bay
Moosonee
Albany
Moose River
Mount Lake
Lake Superior
Houghton
Marquette
Sault Ste. Marie
Escanaba
Alpena
Green Bay
Ludington
Saginaw
Port Huron
Grand Haven
Milwaukee
Madison
Chicago
La Salle
Detroit
Toledo
Cleveland
Ft. Wayne
Erie
Buffalo
Rochester
Oswego
Syracuse
Albany
Binghampton
Scranton
Pittsburg
Harrisburg
Philadelphia
New York
Boston
Concord
Portland
Northfield
New Haven
Block
Nantucket
Sable I.
Yarmouth
Halifax
Fredericton
Chatham
Montreal
Lake Michigan
90°
85°
80°
75°
70°
65°
60°
50°
45°
40°


E, DOMINION OF CANADA.
R MAP
1930
rom normal mean temperature; also total precipitation
nonth.
Ellesmere Island
Pond Inlet
Godhavn
Angmagsalik
Godthaab
Julianehaab
Pangnirtung
Nottingham
Cape Wolstenholme
Wakeham
Resolution
Port Burwell
Blue Chalet
Harrison
HUDSON'S
90°
85°
80°
75°
70°
65°
60°
55°
50°
45°
40°
35°
60°
55°
-2°
+2°
-4°
+4°
+6°
39
43
42
45
34
0·3
34
1·3
38
2·4

REFERENCES.
The upper Figures give the mean Temperature.
The lower Figures give the precipitation in inches.
The Black lines shew the difference from the normal mean Temperature.
The shading shews approximately the precipitation of the month.
Less than 1 inch.
Less than 2 inches.
Less than 3 inches.
Less than 4 inches.
More than 4 inches
Seattle
Tacoma
Spokane
Kalispell
Missoula
Helena
Billings
Miles City
Williston
Devils Lake
Bismarck
Moorhead
Ellendale
Sheridan
Pocatello
Lander
Rapid City
Pierre
Huron
St Paul
Valentine
Charles City
Sioux City
Salt Lake City
Cheyenne
North Platte
Omaha
Des Moines
Yellowstone Park
Walla Walla
Lewiston
North Yakima
Portland
Calgary
Banff
Nelson
120°
115°
110°
105°
100°
95°
50°
45°
40°

METEOROLOGICAL SERVI
WEATHE
JUNE
Chart shewing the mean temperature and the differenc
of th
150°
145°
140°
130°
125°
120°
115°
110°
105°
100°
95°
60°
55°
Tanana
Fort Yukon
Herschell I.
Aklavik
McPherson
Eagle
Dawson
Yukon
River
Mayo
Good Hope
Cambridge Bay
Great Bear Lake
Norman
Mackenzie River
Coppermine R.
Arlin
Liard
River
Simpson
Great Slave Lake
Hay River
Fort Smith
Height of Land
Chipewyan
Sitka
57
9·8
57
0·8
56
0·6
54
0·4
52
0·1
50
0·1
53
5·6
56
9·8
57
2·0
−2°
−2°
+
−
+2°
+4°
+6°
+8°

QUEBEC

STATION	H	L	P	I	SPECIAL REPORTS
Cedars	90°	42°	5.7		
Macdonald College	91°	38°	4.5		Strawberry picking began on the 19th. Crops are backward on account of heavy rains.
Montréal	90°	48°	4.4	177	
St. Hubert	89°	38°	3.4		
Farnham	88°	31°	4.2	174	The frequent rains have considerably affected vegetation and delayed it by keeping the soil wet and cold.
Brome	88°	31°	9.6		
Lennoxville	89°	33°	4.1	220	Grain crops are suffering from too much rain. Haying started and yield is very good. Heaviest June precipitation since 1922.
Sherbrooke	91°	40°	2.5	235	Hay crop is one of the best in many years. Grain looking well. Vegetables satisfactory except on low ground where everything was washed out by rain.
Drummondville	91°	38°	3.7		Garden fruits are in fine condition Potatoes and other roots doing well. Some damage by electric storm on the 6th.
Nicolet	91°	42°	2.3		All crops and pastures look well. Hay is especially good in this district.
Sorel	89°	37°	4.4		Haying will soon begin under favourable conditions. Rain has damaged cereals in general. Strawberry picking began on the 19th. Waters high in Richelieu and St. Lawrence Rivers.
St. Gabriel de Brandon	82°	43°	2.9		Crops are all very promising. Heavy yield of strawberries and there is promise of an abundance of other small fruit. Vegetables growing very well.
Joliette	89°	38°	3.4		Grains seem about average although some damage has been caused by rain.
Beauceville	89°	38°	5.4		Heavy rain on the 19tn and 28th. Vegetation very good.
Lake Mégantic	85°	38°	3.7		Vegetation doing well. Strawberry season over.
Québec	87°	42°	4.7	183	The weather of June was mostly warm and showery. Crops and pastures in good condition.
Cap Rouge	86°	46°	5.5	153	Pastures, hay and garden crops very good. Apples fair. Grain somewhat delayed by recent rains.
St. Joachim	84°	39°	2.9		Hay and vegetables very good. Grain good.
Armagh	86°	41°	5.9		
Ste. Anne de la Pocatiére	89°	38°	3.7	134	
Bicquet	...	...	4.4		June generally was cool, rainy and foggy. All crops and vegetables in fine condition and promising well. Grasses growing exceptionally well.
Chicoutimi	85°	34°	9 0		
Dolbeau	89°	32°	9.1		
Roberval	..	42°	6.7		Frequent rains have seriously injured the crops, especially toward the end of the month. The loss was particularly heavy in the district of St. Prime.
Sanmaur	88°	24°	9.7		Wild vegetation has grown exceptionally well during this unusually wet month.
Albanel	86°	30°	8.3	166	Very hot and unusually rainy month. Grain has been somewhat injured by too much rain.
Huberdeau	87°	43°	4.9		The last fortnight has been unusually rainy.
St. Lin des Laurentides	90°	34°	2.7		Farmers are complaining that the season has been too wet.
Maniwaki	89°	36°	5.7		Strawberries abundant and ripening about the middle of June.
Mont Laurier	87°	46°	2.9		
La Ferme	80°	38°	8.3	153	
Abitibi	83°	36°	6.7		Very wet month with low lands flooded. Hay will be an average crop but oats have been injured by excessive rain. Potatoes just appearing above ground at the end of June.

ATLANTIC PROVINCES

St. John	87°	37°	2.5	201	Vegetation good. Fogs prevailed during the greater part of the month.
Aroostook	93°	34°	7.2		Very heavy thunderstorms on the 17th and 19th damaged the potato crop. Hay and grain crops look well.
Bathurst	94°	40°	2.8		
Chatham	91°	37°	4.1		All crops progressing rapidly.
Fredericton	92°	36°	2.1	218	Weather unusually warm and somewhat dry. Crops doing well.
Fredericton (Experimental Farm)	92°	38°	1.8	231	Season is ten days earlier than usual. Crops promising, especially on fertile land. Rain light but timely. Weather hot. Timothy starting to blossom, clover half turned brown. Early sown grain coming in head.
Gagetown	94°	37°	1.9		Heavy hail on the 1st. All gardens looking well in spite of little rain during the first twenty days of the month in this vicinity.
Grand Falls	90°	36°	5.1		
Harvey	91°	35°	2.3		Vegetation and crops very good.
Musquash	88°	36°	3.0		Vegetation very good.
McAdam	92°	35°	1.8		Month hot and dry. Snowflurries on the first.
Rexton	92°	39°	2.8		Crops in excellent condition. Hay good. Potato beetles doing much damage.
Sussex	92°	32°	1.5		On the morning of the 2nd the ground was covered with snow. Hay crop poor, other crops fair.
Woodstock	94°	35°	4.0		All crops growing well.
Digby	85°	35°	0.9		Vegetation suffered from lack of moisture.
Kentville	92°	34°	1.7	288	
Liverpool	90°	32°	1.5		Hay crop will not be up to the average on account of lack of rain. Strawberry crop below the average in quality and quantity. Field and garden crops affected by drought.
Nappan	88°	35°	1.8	262	Month for the most part unusually fine and dry. Growth of crops good and three weeks ahead of last year. Hay fair with very little clover. Pastures good up to date. Rain badly needed.
Sydney	91°	37°	0.9		June was fine and warm.
Upper Stewiacke	92°	28°	2.7		Pastures good. All roots and vegetables looking well. Hay an average crop. Grain and potatoes good.
Wolfville	90°	33°	1.1	299	
Yarmouth	80°	42°	0.9		The deficiency of rain noted during the last three months has been even more marked during June. All crops need rain badly. Berry crop and flowers maturing ten days earlier than normal. The weather of June has been fine, warm and dry.
Charlottetown	87°	38°	1.6		
Charlottetown (Experimental Farm)	89°	40°	1.4	267	June was hot and dry. Crops have not suffered and are all very promising.
Summerside	86°	41°	1.5		